

ABC BODY INSPECTION FORM



Driver Name	Date	Car #	Track
Tech Inspector (signed)		Team Representative (signed)	

BODY REQUIREMENTS			(Circle One)	Fix	Penalty
	1- Nose	Nose Side Flap Height: Minimum 11.5"	pass / fail	<input type="checkbox"/>	
		Minimum from ground to bottom of nose: 4"	pass / fail	<input type="checkbox"/>	
		Minimum from bottom of nose to hood seam: 20"	pass / fail	<input type="checkbox"/>	
		Nose Screen- Mounted flush on lower air dam in the recess provided	pass / fail	<input type="checkbox"/>	
		No holes allowed above the bumper line	pass / fail	<input type="checkbox"/>	
	2- COWL PANEL	Mandatory on car, ABC approved cowl panel	pass / fail	<input type="checkbox"/>	
		Air intake Opening, Maximum: 2.5" x 20"	pass / fail	<input type="checkbox"/>	
3- Vent Windows	12" Maximum length along top of door	pass / fail	<input type="checkbox"/>		
	90 Degrees from top of door to A Pillar	pass / fail	<input type="checkbox"/>		
4- WINDOW BRACES	Front- 3 required 1/8" thick x 1" wide	pass / fail	<input type="checkbox"/>		
	Rear- 2 required 1/8" thick x 1" wide	pass / fail	<input type="checkbox"/>		
5- ROCKER PANEL HEIGHT	Minimum from ground to bottom of rocker: 4"	pass / fail	<input type="checkbox"/>		
6- WHEEL OPENING	7" Max from edge of rim to front & rear of all wheel openings	pass / fail	<input type="checkbox"/>		
7- Manufacturer tags	Visible on inside of each body panel	pass / fail	<input type="checkbox"/>		

TEMPLATES			(Circle One)	Fix	Penalty
	8- Centerline Templates	Nose/Hood Template	pass / fail	<input type="checkbox"/>	
		Roof Template	pass / fail	<input type="checkbox"/>	
	9- Fender Templates	Left: Measured on ground, 23 7/8" from centerline of nose	pass / fail	<input type="checkbox"/>	
		Right: Measured on ground, 26 1/2" from centerline of nose	pass / fail	<input type="checkbox"/>	
	10- Side to Side Templates	Rear Roof Side to Side: Placed at back of roof (90 degrees to roof)	pass / fail	<input type="checkbox"/>	
Front Roof Side to Side: Placed at leading edge of roof (90 degrees to roof)		pass / fail	<input type="checkbox"/>		
Horizontal Nose (Horseshoe): Placed approx. 1" above top of nose screen		pass / fail	<input type="checkbox"/>		
Rear Deck: Placed approx. 2" forward of the decklid hold-down recess		pass / fail	<input type="checkbox"/>		

REFEREE			(Circle One)	Fix	Penalty
	12- Front Overhang	46" max. from center of nose from center of front spindles	pass / fail	<input type="checkbox"/>	
	13- Front Tread Width	Recommended Max: 66"	pass / fail	<input type="checkbox"/>	
	14- Roof Height	Min Height: 47" - Max Height: 48" (at 10" back from windshield)	pass / fail	<input type="checkbox"/>	
	15- Rear-of-Door Height	Minimum Height: 33.0"	pass / fail	<input type="checkbox"/>	
	16- Wheel Base	Stated Range: 101" - 106"	pass / fail	<input type="checkbox"/>	
	17- Rear Tread Width	Recommended Max: 66"	pass / fail	<input type="checkbox"/>	
	18- Quarter Panel Height	At Quarter Panel, Bumper Cover and Deck Lid intersection Stated Height Range: 34.25" to 34.5"	pass / fail	<input type="checkbox"/>	
	19- Bumper Cover Height	Top Height- 34 7/8" Max. at base of spoiler, on centerline	pass / fail	<input type="checkbox"/>	
	20- Rear Overhang	47" max. from center of rear axle to base of spoiler at center	pass / fail	<input type="checkbox"/>	